

Material Safety Data Sheet ZeraClad W-35

PRODUCT INFORMATION

Manufacturer: Zeraus Products Inc. 250 Rayette Road, Unit 18 Vaughan, Ontario L4K 2G6

PRODUCT INFORMATION

Product Identifier: ZeraClad W-35 Application and Use: Water based one-component aliphatic polyurethane coating Product Description: aliphatic polyurethane pigmented coating. It can be applied by brush, roller, or spraying.

HAZARD RATING SYSTEM (USA):

Health: 1 Flammability: 0 Reactivity: 0

WHMIS Classification (Canada): Class D, Division 2, Subdivision A Class D, Division 2, Subdivision B

TRANSPORTATION OF DANGEROUS GOODS INFORMATION: Not Regulated

EMERGENCY TELEPHONE NUMBERS

Business: (905) 761-9920

24 Hours: (416) 574-5154

LABEL PRECAUTIONS

MILD EYE IRRITANT. REPRODUCTIVE TOXIN.

Keep container closed. Wash thoroughly after handling Avoid breathing vapours Avoid contact with eyes, skin and clothing Keep away from children

HAZARDOUS INGREDIENTS			
Ingredients	CAS#	% (weight)	LD/50 Route/Species
Methyl-2-Pyrrolidinone	872-50-4	4-7%	LD50 – 3914mg/kg (Rat-Oral)
Ethanamine, n, n-diethyl-	121-44-8	1%	LD50 460 mg/kg (Rat-Oral)

PHYSICAL DATA

Boiling Point: >100C Freezing/Melting Point: <0C Viscosity: 1800 CPS Vapour Density (Air=1) : >1.0 Odour: Characteristic ammonia odour Appearance: coloured

POTENTIAL HEALTH EFFECTS

Effect of Overexposure:

INHALATION:

This product is water based and has very low volatility. No health hazard from inhalation of vapour under normal conditions of use. However, breathing of mist may be irritating to nose and throat. Avoid all inhalation of mist.

EYE CONTACT: Will irritate eyes.

SKIN CONTACT: Brief contact is not irritating but continuous exposure may irritate the skin. Prolonged or widespread skin contact may result in the absorption of potentially harmful amounts of material.

INGESTION: Slightly toxic. May produce signs of intoxication characterized by in coordination, dizziness, drowsiness, headache, nausea, mental confusion, possible slurred speech and stupor, depending on the quantity of material ingested. Severe kidney damage results upon ingestion of large volumes of this product.

Chronic Health Hazard: This product contains no listed carcinogen. It may cause adverse reproductive effects

FIRST AID MEASURES

INHALATION: Remove victim to fresh air if inhalation of mist occurs. If adverse effects are experienced see physician.

EYE CONTACT: Holding eyelids apart and immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses.

SKIN CONTACT: wash affected area immediately with soap and water.

INGESTION: If swallowed, call the physician immediately. Give 2 glasses of water. Prevent aspiration of vomit. Never give anything by mouth to an unconscious person.

PREVENTIVE MEASURES

PERSONAL PROTECTION: Workmen should avoid all contamination of eyes and skin. Wear safety glasses with side shields and protective latex gloves. Where the possibility of the inhalation of mist exists workmen should wear the appropriate respirator.

ENGINEERING CONTROLS: Not necessary under normal conditions of use. If application is in an area with no ventilation some passive ventilation should be provided.

ACCIDENTAL RELEASE MEASURES

PROCEDURE IN CASE OF LEAKS:

Area of spill will be slippery. Use care to avoid falling. Do not flush product into storm sewers, sanitary sewers, or water

courses. Soak up product with sand, earth or some other inert material. Dispose of in accordance with all federal, provincial and municipal regulations.

ENVIRONMENTAL PRECAUTIONS: The product is toxic to aquatic life in liquid form. Avoid discharge to sewers or waterways.

SPILL CONTROL AND DISPOSAL: Dispose of sand and rinse water according to municipal, provincial or federal laws for disposal of chemicals.

HANDLING AND STORAGE

HANDLING: Keep containers closed when not in use. Do not allow this product to freeze. Empty product containers may contain product residue. Do not reuse to store foodstuffs or drinking water under any conditions

STORAGE: Do not Freeze. Keep away from oxidizers. Product may partially freeze with extended exposure to cold temperatures. Product should be stored at temperature above 15 C.

FIRE AND EXPLOSION DATA

FLASH POINT: Non-Combustible

EXTINGUISHING MEDIA: Product does not burn. Aqueous solution is not flammable.

GENERAL HAZARDS: This product is non-combustible, but if temperatures are high enough it will boil until water is driven off then the remaining resin solids will burn. Toxic gases may be generated during fire.

FIRE FIGHTING: Use water to extinguish fire of polymer solids. A self contained breathing apparatus should be used for all indoor fires.

HAZARDOUS COMBUSTION PRODUCTS: No known unusual hazards in fire situation.

REACTIVITY DATA

GENERAL: This product is stable and hazardous polymerization will not occur.

INCOMPATIBLE MATERIALS AND CONDITIONS TO AVOID: Do not contaminate product with any acidic or basic compounds. Do not allow product to freeze.

HAZARDOUS DECOMPOSITION: None.

PREPARATION

Prepared By: A. Zaghloul Zeraus Products Inc. 250 Rayette Road, Unit 18 Vaughan, Ontario L4K 2G6 <u>May 2021</u>